

**#YourGrowthMachine**




**HB135**

# **Hydraulic Breakers**

**HB80/HB100/HB135/HB140/HB150**  
**Carrier 7- 34t**

Member of the Volvo Group

# High efficiency of Hydraulic usage and strong impacting power



- Simple and reliable design can well suit the excavators; High efficiency of hydraulic usage and strong power impacting power.
- Utilizing advanced technology of oil pressure control and fluid micro-adjustment makes stronger impacting and persistence.
- Using specially developed new style material makes the components with higher strength and durability.
- Stable and reliable sealing system, lower all breakdown rate, both can effectively extend the whole hydraulic breaker's lifetime.

\* Package configuration depends on your market. Contact your SDLG dealer for more information.



# Hydraulic breakers



SDLG Breaker Model		HB80	HB100	HB135	HB140	HB150
Description	Unit					
Operating weight	kg	451	950	1670	2046	2457
Operating pressure	Bar	118-147	147~166	157~177	157~177	157~177
Hydraulic flow range	LPM	50-90	80~100	80~145	120~180	150~190
Impact Frequency	BPM	400~800	350~700	360~460	350~500	350~700
Diameter of Hose	bpm	12.7	19.05	25.4	25.4	25.4
Diameter of Tool	mm	80	100	135	140	150
Suitable carrier	Ton	6~8	10~15	18~21	21~26	28~34



\* for continuous improvement in product, features and specifications can be changed without prior notice.